



First in Quality, First in Service.

STOCK BOOK

..... UPDATED: September 2012 REPLACES: December 2010



WINNIPEG

CONTENTS


Product	Description	Page #
PRICE 520 GRILLES		
520D/F/S/A/B12	Double Deflection Louvered Supply Grilles c/w Damper	1
PRICE 530 GRILLES		
530/F/L/A/B12	Single Deflection Fixed Blade Louvered Return Grilles	1
PRICE 80 GRILLES		
80/C/A/B12	Egg Crate Face Return Grilles w/ Surface Mount Border	1
80/TB/O/B12	Egg Crate Face Return Grilles w/ T-bar Mount Border	1
80 CORE/B12	Sheets of Aluminum Egg Crates	1
4824P	Sheets of Plastic Egg Crates	1
PRICE STG1 & ATG1 DOOR GRILLES		
STG1/BF/B15	Steel Transfer / Door Grilles w/ Border on Both Sides	2
ATG1/BF/B15	Aluminum Transfer / Door Grilles w/ Border on Both Sides	2
AIR LOUVERS INC. 1900A DOOR GRILLES		
1900A	Fire Rated Door Grilles w/ Border on Both Sides	2
PRICE FLOOR GRILLES		
LBP25C/1000/3/0/66	Residential Linear Bar Floor Grilles	2
PRICE SCD DIFFUSERS		
SCD/31/24x24/B12	Square Cone Diffusers - 24 x 24 Full Face Model	2
SCD/31/12x12/B12	Square Cone Diffusers - 12 x 12 Full Face Model	2
SCD/31/20x20/B12	Square Cone Diffusers - 20 x 20 Full Face Model	2
SCD/3P/24x12/B12	Square Cone Diffusers - 12 x 12 Diffuser in a 24 x 12 Panel	2
SCD/3P/24x24/B12	Square Cone Diffusers - 12 x 12 Diffuser in a 24 x 24 Panel	2
PRICE SCDA DIFFUSERS		
SCDA/3/24x24/B12	Adjustable Square Cone Diffusers - 24 x 24 Full Face Model T-bar Mount	3
SCDA/1/24x24/B12	Adjustable Square Cone Diffusers - 24 x 24 Full Face Model Surface Mount	3
SCDA/3/12x12/B12	Adjustable Square Cone Diffusers - 12 x 12 Full Face Model T-bar Mount	3
SCDA/1/12x12/B12	Adjustable Square Cone Diffusers - 12 x 12 Full Face Model Surface Mount	3
SCDA/3P/24x24/B12	Adjustable Square Cone Diffusers - 12 x 12 Diffuser in a 24 x 24 Panel - T-bar Mount	3
PRICE SPD DIFFUSERS		
SPD/31/24x24/B12	Square Plaque Diffusers - 24 x 24 Full Face Model	3
SPD/31/12x12/B12	Square Plaque Diffusers - 12 x 12 Full Face Model	3
SPD/3P/24x12/B12	Square Plaque Diffusers - 12 x 12 Diffuser in a 24 x 12 Panel	3
PRICE PDF DIFFUSERS		
PDF/3/24x24/B12	Perforated Supply Diffusers - 24 x 24 Full Face Model Deflectors on the Face - T-bar Mount	3
PRICE PDDR DIFFUSERS		
PDDR/3/24x24/B12	Perforated Return Diffusers - 24 x 24 Full Face Model T-bar Mount	4
PDDR/1/24x24/B12	Perforated Return Diffusers - 24 x 24 Full Face Model Surface Mount	4
PDDR/3/12x12/B12	Perforated Return Diffusers - 12 x 12 Full Face Model T-bar Mount	4
PDDR/1/12x12/B12	Perforated Return Diffusers - 12 x 12 Full Face Model Surface Mount	4
PRICE RCDA & RCDE DIFFUSERS		
RCDA/B12	Fully Adjustable Round Cone Diffusers	4
RCDE/B12	Two Position Round Cone Diffusers	4
PRICE LIGHT TROFFER DIFFUSERS		
LTA 10-4	Single-Sided Supply Diffusers	4
LTA 14LP/24LP	Saddle Type Double-Sided Supply Diffusers	4
PRICE DIFFUSER ACCESSORIES		
SPF/B12	Plaster Mounting Frames	4
VCR8E	Butterfly Type Volume Control Dampers	4
PRICE LGB BY-PASS BOXES		
LGB	Low Pressure Gate Bypass	5
PCT-KIT C/W T-STAT	Control Packages	5
PRICE SPV & SDV TERMINAL UNITS		
SDV5000	Single Duct Terminal Units - Bare Box	5
SPV8000	Single Duct Terminal Units - Pneumatic Controls	5
ATT-3	3 Foot Attenuator Sections for SPV & SDV Terminal Units	5
PAC	Price Analog Controller	5
PIC	Price Intelligent Controller	5
CP-101	Replacement Controller for the SPV Terminal Unit	5
MCP-8301	Replacement Actuator for the SPV Terminal Unit	5
COILS	Hot Water Coil c/w Coil Access Door (One or Two Row Available)	5
PROTECTIVE SHROUDS	Control Protective Shrouds for Terminal Units	5

CONTENTS

Product	Description	Page #
PRICE LOUVERS		
ZE439	Aluminum 4" Deep Fixed Blade Louvers c/w Birdscreen, Flange & Mill Finish	6
TAMCO DAMPERS		
TAMCO 9000	Aluminum Thermally Insulated Control Dampers (Opposed Blade & In-Duct Mounting)	6
TAMCO 1000	Aluminum Air Foil Control Dampers (Opposed Blade & In-Duct Mounting)	6
BELIMO ACTUATORS		
TWO POSITION - 120 VOLT	120 volt, Two-Position Spring Return Actuators	6
TWO POSITION - 24 VOLT	24 volt, Two-Position Spring Return Actuators	6
MODULATING	24 volt, Modulating (0-10 vdc), Spring Return Actuators	6
GREENHECK ROUND BACKDRAFT DAMPERS		
WDR-53	Round Backdraft Dampers	6
DELHI FANS		
200 SERIES	Duct Blowers	6
GREENHECK FANS		
CUBE SERIES	Greenheck Belt Drive Roof Upblast Centrifugal Exhaust Fans	7
CUE SERIES	Greenheck Direct Drive Roof Upblast Centrifugal Exhaust Fans w/ Vari Green Motors	7
BSQ SERIES	Greenheck Belt Drive Centrifugal Inline Fans	7
GB SERIES	Greenheck Belt Drive Centrifugal Roof Exhaust Fans	7
G SERIES	Greenheck Direct Drive Centrifugal Roof Exhaust Fans w/ Vari Green Motors	7
GREENHECK FAN ACCESSORIES		
GPI	Roof Curbs for Flat Roofs - c/w Galvanized Construction, 1" Insulation, 2" Flashing Flange & 12" High	7
VCE	Vented Curb Extensions c/w Galvanized Construction	7
WD-100	Galvanized Backdraft Dampers - Horizontal Mount	7
WD-330	Galvanized Backdraft Dampers - Vertical Mount	7
MISCELLANEOUS ACCESSORIES	Grease Traps with Drain Connection, Hinged Curb Cap Kits, Disconnect Switches	7
GREENHECK SP FANS		
SP FANS	Greenheck Ceiling Exhaust Fans c/w Grille	8
GREENHECK CSP FANS		
CSP FANS	Greenheck Cabinet Inline Exhaust Fans	8
SP & CSP ACCESSORIES		
WC	Aluminum Wall Caps w/ Built in Damper	8
SPEED CONTROLLERS	115 Volt	8
MISC. ACCESSORIES	Disconnect Switches, Time Delay Switches, Reverse Acting Inline Thermostats	8
PANASONIC FANS		
WHISPERCEILING SERIES	Panasonic Ceiling Mounted Ventilation Fans c/w Grille	9
WHISPERFIT SERIES	Panasonic Low Profile Fans c/w Grille	9
WHISPERLINE SERIES	Panasonic In-Line Fans	9
GNN AIR FANS		
BPT SERIES	Ceiling Fans c/w Grille	9
BROAN FANS		
BROAN ECONOMY FANS	EC Series	9
BROAN DELUXE FANS	DX Series	9
BROAN RANGE HOODS		
BP SERIES	2 Speed Range Hood 30" Wide, White on White	9
GP SERIES	Variable Speed Range Hood 30" Wide, White on White	9
BROAN 634	Steel Roof Caps w/ Built in Birdscreen & Damper	9
BROAN 639	Steel Wall Caps w/ Springloaded Backdraft Damper	9
CANARM FANS		
CP SERIES	Industrial/Commercial Ceiling Fans	10
MC SERIES	Industrial/Commercial Speed Controllers	10
FANTECH FANS		
FR SERIES	Inline Fans	10
THERMAFLEX FLEXIBLE DUCT		
SLP-10	Non-Insulated Flexible Duct for Low to Medium Pressure Systems	10
G-KM	Insulated Flexible Air Duct for Low and Medium Pressure Systems	10
FILTRATION LAB FILTERS		
MAXI-410	1", 2" and 4" Pleated Filters, 25-30% Efficiency	11
THE VMC GROUP/AMBERBOOTH ISOLATION		
CALE SERIES	Aluminum Housed Mounts 1" Deflection	11
RD SERIES	Double Deflection Mountings	11
HSA SERIES	Spring Angularity Hangers for 1" Nominal Deflection	11
MAXI-FLEX EZ-CUT	Mats	11

CONTENTS

Product	Description	Page #
GREENHECK ISOLATION		
VI-KITS	Vibration Isolation Kits	11
PRICE FIRE DAMPERS		
FD-VA	Vertical, In the Airstream Fire Dampers	12
FD-HA	Horizontal, In the Airstream, Spring Loaded Fire Dampers	12
FD-VB	Vertical, Out of the Airstream, Fire Dampers	12
FD-HB	Horizontal, Out of the Airstream, Spring Loaded Fire Dampers	12
FD-VC	Round, Vertical, Out of the Airstream, Fire Dampers	12
FD-HC	Round, Horizontal, Out of the Airstream, Spring Loaded Fire Dampers	12
MISC. ACCESSORIES	Replacement Fusible Links	12
PRICE CEILING RADIATION DAMPERS		
CRD-2	Ceiling Fire Stop Flaps	12
CFS	Ceiling Fire Stop Flaps	12
CK-2000	Thermal Blanket	12
LEGRIS TRANSAIR ALUMINUM PIPE & FITTINGS		
ALUMINUM PIPE & FITTINGS	---	13
LEGRIS TRANSAIR TOOL CASE		
TOOL CASE	All Tools Plus Case for Small Diameter Transair System	13
BARNES & JONES		
THERMOSTATIC STEAM TRAPS	BJV-2L, 122A, 134A & 4270	13
STEAM TRAP REPAIR KITS	Float & Thermostatic	13
NU-AIR RESIDENTIAL HRV		
NU 145	Windsor Series HRV	14
NU 160	Windsor Series HRV	14
NU 165	Windsor Series HRV	14
NU-AIR COMMERCIAL HRV		
NU 0406	Light Commercial HRV	14
NU 0508	Light Commercial HRV	14
NU 0912	Light Commercial HRV	14
NU-AIR CONTROL		
WIN-1	Windsor Dehumidistat Control	14
WIN-20	Windsor 20-Minute Timer	14
ES-DVC	ES Digital Ventilation Control	14
ES-T1	20-40-60-Minute Timer	14
NEPTRONIC RESIDENTIAL HUMIDIFIERS		
SKR14-120-R-00	CASA Residential Humidifiers	15
SKR25-208-R-00	VILLA Residential Humidifiers	15
SKR30-208-R-00	CHATEAU Residential Humidifiers	15
SKR40-208-R-00	BELVEDERE Residential Humidifiers	15
HRL100	High Limit Duct Humidistat	15
HRL020	Large LCD Humidistat	15
INSTALLATION INSTRUCTIONS	For Duct Distribution, or Fan Distribution	15
AIREASE HIGH EFFICIENCY FURNACES		
A95UH2V045B12S (44,000 btuh)	----	16
A95UH2V070B12S (66,000 btuh)	----	16
A95UH2V090C12S (88,000 btuh)	----	16
AIREASE "13 SEER" AIR CONDITIONERS		
4SCU13LE118P-2 (1½ Ton)	----	16
4SCU13LE124P-2 (2 Ton)	----	16
4SCU13LE136P-2 (3 Ton)	----	16
AIREASE ACCESSORIES		
CONCENTRIC VENT KITS	Models 44W92, 44W93	16
TX VALVES	Models A4TX01, 4TX02	16
LINE KITS	----	16
WHIPS	----	16
DISCONNECTS	----	16
DIGITAL THERMOSTATS	Model TB8220	16
AIR CONDITIONING COVERS	----	16
CARRIER PACKAGED ROOFTOP UNITS		
48ES	Comfort Series	17
48TC	Weathermaker Series	17
CARRIER ACCESSORIES	----	17

PRICE® 520 GRILLES:

520D/F/S/A/B12
Double Deflection Louvered
Supply Grilles c/w Damper

6 x 4	20 x 6
6 x 6	20 x 8
8 x 4	20 x 10
8 x 6	20 x 12
8 x 8	20 x 14
10 x 4	20 x 16
10 x 6	20 x 18
10 x 8	20 x 20
10 x 10	24 x 6
12 x 4	24 x 8
12 x 6	24 x 10
12 x 8	24 x 12
12 x 10	24 x 14
12 x 12	24 x 16
14 x 4	24 x 18
14 x 6	24 x 20
14 x 8	24 x 24
14 x 10	30 x 10
14 x 12	30 x 12
14 x 14	30 x 16
16 x 4	30 x 20
16 x 6	36 x 8
16 x 8	36 x 12
16 x 10	36 x 14
16 x 12	36 x 18
16 x 14	
16 x 16	
18 x 6	
18 x 8	
18 x 10	
18 x 12	
18 x 14	
18 x 16	
18 x 18	

PRICE® 530 GRILLES:


530/F/L/A/B12
Single Deflection Fixed Blade
Louvered Return Grilles

6 x 4	20 x 6
6 x 6	20 x 8
8 x 4	20 x 10
8 x 6	20 x 12
8 x 8	20 x 14
10 x 4	20 x 16
10 x 6	20 x 18
10 x 8	20 x 20
10 x 10	24 x 6
12 x 4	24 x 8
12 x 6	24 x 10
12 x 8	24 x 12
12 x 10	24 x 14
12 x 12	24 x 16
14 x 4	24 x 18
14 x 6	24 x 20
14 x 8	24 x 24
14 x 10	30 x 6
14 x 12	30 x 10
14 x 14	30 x 12
16 x 4	30 x 14
16 x 6	30 x 16
16 x 8	30 x 20
16 x 10	30 x 24
16 x 12	36 x 8
16 x 14	36 x 12
16 x 16	36 x 18
18 x 6	36 x 24
18 x 8	40 x 16
18 x 10	
18 x 12	
18 x 14	
18 x 16	
18 x 18	

PRICE® 80 GRILLES:


80/C/A/B12
Egg Crate Face Return Grilles
w/ Surface Mount Border

6 x 4	16 x 8
6 x 6	16 x 10
8 x 4	16 x 12
8 x 6	16 x 16
8 x 8	18 x 10
10 x 4	18 x 12
10 x 6	18 x 18
10 x 8	20 x 12
10 x 10	20 x 14
12 x 4	20 x 20
12 x 6	24 x 4
12 x 8	24 x 6
12 x 10	24 x 8
12 x 12	24 x 10
14 x 4	24 x 12
14 x 6	24 x 16
14 x 8	24 x 18
14 x 10	24 x 24
14 x 12	48 x 24
14 x 14	
16 x 6	




80/TB/O/B12
Egg Crate Face Return Grilles
w/ T-bar Mount Border

12 x 12	24 x 12
24 x 6	24 x 18
24 x 8	24 x 24
24 x 10	



80 CORE/B12
Sheets of Aluminum
Egg Crates

48 x 24	
---------	--




4824P
Sheets of Plastic Egg Crates

48 x 24	
---------	--

PRICE**STG1 & ATG1
DOOR GRILLES:****AIR
LOUVERS Inc.****1900A
DOOR GRILLES:****PRICE****SCD DIFFUSERS:**

STG1/BF/B15
Steel Transfer / Door Grilles
w/ Border on Both Sides

10 x 10	18 x 12
12 x 6	18 x 14
12 x 8	18 x 16
12 x 10	18 x 18
12 x 12	20 x 10
14 x 8	20 x 12
14 x 10	20 x 14
14 x 12	20 x 16
14 x 14	20 x 20
16 x 8	24 x 6
16 x 10	24 x 8
16 x 12	24 x 10
16 x 14	24 x 12
16 x 16	24 x 16
18 x 6	24 x 18
18 x 8	24 x 20
18 x 10	24 x 24



ATG1/BF/B15
Aluminum Transfer / Door Grilles
w/ Border on Both Sides

10 x 6	18 x 14
12 x 6	18 x 18
12 x 8	24 x 12
12 x 12	24 x 16
16 x 10	24 x 18
16 x 12	24 x 24
18 x 12	



1900A
Fire Rated Door Grilles
w/ Border on Both Sides

12 x 12	24 x 12
18 x 12	24 x 24
20 x 20	

PRICE FLOOR GRILLES:

LBP25C/1000/3/0/66
Residential Linear Bar Floor
Grilles c/w 1" Flange,
Opposed Blade Damper,
No Screw Holes &
Brushed Aluminum Finish

12 x 4	10 x 3
10 x 4	



SCD/31/24X24/B12
Square Cone Diffusers -
24 x 24 Full Face Model

6"	12"
8"	14"
10"	15"




SCD/31/12X12/B12
Square Cone Diffusers -
12 x 12 Full Face Model

4"	7"
5"	8"
6"	




SCD/31/20X20/B12
Square Cone Diffusers -
20 x 20 Full Face Model

6"	10"
8"	



SCD/3P/24X12/B12
Square Cone Diffusers - 12 x 12
Diffuser in a 24 x 12 Panel

4"	7"
5"	8"
6"	



SCD/3P/24X24/B12
Square Cone Diffusers -
12 x 12
Diffuser in a 24 x 24 Panel

6"	8"
----	----

PRICE SCDA DIFFUSERS:

SCDA/3/24X24/B12
Adjustable Square Cone Diffusers
24 x 24 Full Face Model
T-bar Mount

6"	10"
8"	12"



SCDA/1/24X24/B12
Adjustable Square Cone Diffusers
24 x 24 Full Face Model
Surface Mount

6"	8"
----	----




SCDA/3/12X12/B12
Adjustable Square Cone Diffusers
12 x 12 Full Face Model
T-bar Mount

6"	8"
----	----




SCDA/1/12X12/B12
Adjustable Square Cone Diffusers
12 x 12 Full Face Model
Surface Mount

6"	8"
----	----




SCDA/3P/24X24/B12
Adjustable Square Cone Diffusers
12 x 12 Diffuser in a
24 x 24 Panel - T-bar Mount

6"	8"
----	----

PRICE SPD DIFFUSERS:


SPD/31/24X24/B12
Square Plaque Diffusers -
24 x 24 Full Face Model

6"	12"
8"	14"
10"	15"




SPD/31/12X12/B12
Square Plaque Diffusers -
12 x 12 Full Face Model

6"	8"
----	----









SPD/3P/24X12/B12
Square Plaque Diffusers -
12 x 12 Diffuser
in a 24 x 12 Panel

6"	8"
----	----


PRICE PDF DIFFUSERS:

PDF/3/24X24/B12
Perforated Supply Diffusers -
24 x 24 Full Face Model
Deflectors on the Face
- T-bar Mount

6"	12"
8"	14"
10"	15"

PRICE PDDR DIFFUSERS:		PRICE RCDA & RCDE DIFFUSERS:		PRICE LIGHT TROFFER DIFFUSERS:		PRICE DIFFUSER ACCESSORIES:																					
																											
PDDR/3/24X24/B12 Perforated Return Diffusers - 24 x 24 Full Face Model T-bar Mount		RCDA/B12 Fully Adjustable Round Cone Diffusers		LTA Single-Sided Supply Diffusers		SPF/B12 Plaster Mounting Frames																					
<table><tr><td>22 x 22</td><td></td></tr></table>		22 x 22		<table><tr><td>6"</td><td>14"</td></tr><tr><td>8"</td><td>16"</td></tr><tr><td>10"</td><td>18"</td></tr><tr><td>12"</td><td></td></tr></table>		6"	14"	8"	16"	10"	18"	12"		<table><tr><td colspan="2">LTA 10-4 w/ 3" x 7.56" Oval Inlet & Overall Length - 41 3/4"</td></tr></table>		LTA 10-4 w/ 3" x 7.56" Oval Inlet & Overall Length - 41 3/4"		<table><tr><td>12 x 12</td><td>24 x 24</td></tr></table>		12 x 12	24 x 24						
22 x 22																											
6"	14"																										
8"	16"																										
10"	18"																										
12"																											
LTA 10-4 w/ 3" x 7.56" Oval Inlet & Overall Length - 41 3/4"																											
12 x 12	24 x 24																										
																											
PDDR/1/24X24/B12 Perforated Return Diffusers - 24 x 24 Full Face Model Surface Mount		RCDE/B12 Two Position Round Cone Diffusers		LTA Saddle Type Double Sided Supply Diffusers		VCR8E Butterfly Type Volume Control Dampers																					
<table><tr><td>22 x 22</td><td></td></tr></table>		22 x 22		<table><tr><td>6"</td><td>12"</td></tr><tr><td>8"</td><td>14"</td></tr><tr><td>10"</td><td>16"</td></tr></table>		6"	12"	8"	14"	10"	16"	<table><tr><td colspan="2">LTA 14LP w/ 3" x 7.56" Oval Inlet, Overall Length - 41 3/4" & Adjustable Cross Over Section 8" to 13"</td></tr></table>		LTA 14LP w/ 3" x 7.56" Oval Inlet, Overall Length - 41 3/4" & Adjustable Cross Over Section 8" to 13"		<table><tr><td>4"</td><td>10"</td></tr><tr><td>5"</td><td>12"</td></tr><tr><td>6"</td><td>14"</td></tr><tr><td>7"</td><td>15"</td></tr><tr><td>8"</td><td></td></tr></table>		4"	10"	5"	12"	6"	14"	7"	15"	8"	
22 x 22																											
6"	12"																										
8"	14"																										
10"	16"																										
LTA 14LP w/ 3" x 7.56" Oval Inlet, Overall Length - 41 3/4" & Adjustable Cross Over Section 8" to 13"																											
4"	10"																										
5"	12"																										
6"	14"																										
7"	15"																										
8"																											
				<table><tr><td colspan="2">LTA 24LP w/ 3" x 7.56" Oval Inlet, Overall Length - 41 3/4" & Adjustable Cross Over Section 13" to 24"</td></tr></table>		LTA 24LP w/ 3" x 7.56" Oval Inlet, Overall Length - 41 3/4" & Adjustable Cross Over Section 13" to 24"																					
LTA 24LP w/ 3" x 7.56" Oval Inlet, Overall Length - 41 3/4" & Adjustable Cross Over Section 13" to 24"																											
<table><tr><td>10 x 10</td><td></td></tr></table>		10 x 10																									
10 x 10																											
																											
PDDR/1/12X12/B12 Perforated Return Diffusers - 12 x 12 Full Face Model Surface Mount																											
<table><tr><td>10 x 10</td><td></td></tr></table>		10 x 10																									
10 x 10																											

PRICE LGB
BY-PASS BOXES:



LGB
Low Pressure Gate Bypass

6"	12"
8"	14"
10"	16"



PCT-KIT c/w T-Stat
Control Package Available for
the following Control Sequences

- EC (2500) - Electric Cooling
- EC1 (2501) - Electric Cooling
with 1 Stage Reheat Control
- EHC (2502) - Electric Cooling/
Heating Changeover
- EHC1 (2503) - Electric
Cooling/Heating Changeover
with 1 Stage Reheat Control

PRICE SPV & SDV TERMINAL UNITS:



SDV5000
Single Duct Terminal Units
* Bare Box
All Controls by Others

4"	9"
5"	10"
6"	12"
7"	14"
8"	16"




SPV8000
Single Duct Terminal Units
c/w Pneumatic Controls

4"	9"
5"	10"
6"	12"
7"	14"
8"	16"



ATT-3
3 Foot Attenuator Sections for
SPV & SDV Terminal Units

4"	9"
5"	10"
6"	12"
7"	14"
8"	16"



PAC
(Price Analog Controller)


- PAC Controller
- PAC Actuator
- PAC Dial Stat

PAC Accessories

PRB Temp
Probe (for
Heat/Cool
Applications)

Linker 2 USB
Set-Up Tool
for Laptop
Calibration

* Full In-House Calibration for
All Available Sequences



PIC
(Price Intelligent Controller)

- PIC Controller
- PIC LCD Stat

PIC Accessories

PRB Temp
Probe (for
Heat/Cool
Applications)

Linker 2 USB
Set-Up Tool
for Laptop
Calibration

PIC-BAC
BacNet
Module

* Full In-House Calibration for
All Available Sequences




CP-101
Replacement Controllers for
the SPV Terminal Unit

ALL SIZES




MCP-8301
Replacement Actuators for the
SPV Terminal Unit

ALL SIZES




HOT WATER COIL
c/w Coil Access Door
One Row & Two Row

Unit Size	Width	Height
4, 5, 6	12"	8"
7, 8	12"	10"
9, 10	14"	12 1/2"
12	16"	15"



CONTROLS
PROTECTIVE SHROUDS

PRICE LOUVERS**ZE439**

Aluminum 4" Deep Fixed
Blade Louvers c/w Birdscreen,
Flange & Mill Finish

12 x 12	20 x 20
14 x 14	24 x 24
16 x 16	

TAMCO DAMPERS

TAMCO 9000
Aluminum Thermally Insulated
Control Dampers
*Opposed Blade & In-Duct
Mounting

12 x 12	24 x 24
16 x 16	36 x 12
24 x 12	36 x 36



TAMCO 1000
Aluminum Air Foil
Control Dampers
* Opposed Blade & In-Duct
Mounting

12 x 12	24 x 24
16 x 16	36 x 12
24 x 12	36 x 36

BELIMO ACTUATORS

TWO POSITION - 120 VOLT
Spring Return Actuators

LF120
(35 in-lb Torque)

NFBUP
(90 in-lb Torque)

AFBUP
(180 in-lb Torque)

LF120-S c/w END SWITCH
(35 in-lb Torque)

NFBUP-S c/w END SWITCH
(90 in-lb Torque)

AFBUP-S c/w END SWITCH
(180 in-lb Torque)

TWO POSITION - 24 VOLT
Spring Return Actuators

LF24-S c/w END SWITCH
(35 in-lb Torque)

NF24-S c/w END SWITCH
(90 in-lb Torque)

AF24-S c/w END SWITCH
(180 in-lb Torque)



MODULATING
Spring Return Actuators
24 Volt

LF24-SR-S c/w END SWITCH
(35 in-lb Torque)


NFB24-SR-S c/w END SWITCH
(90 in-lb Torque)

AFB24-MFT-S c/w END SWITCH
(180 in-lb Torque)

GREENHECK ROUND BACKDRAFT DAMPERS:

WDR-53
Round Backdraft Dampers

4"	8"
5"	10"
6"	12"

DELTA FANS:

200 SERIES
Duct Blowers

207
(300 - 1400cfm)

209
(600 - 1700cfm)

210
(800 - 1900cfm)

212
(1200 - 3400cfm)

215
(1800 - 4400cfm)

218
(3000 - 7600cfm)

GREENHECK FANS:

CUBE SERIES
Greenheck Belt Drive
Roof Upblast Centrifugal
Exhaust Fans

CUBE-099-LMDG

408 CFM to 1,041 CFM @ .5"SP

CUBE-121-LMDG

691 CFM to 1,816 CFM @ .5"SP

CUBE-141-LMDG

1,515 CFM to 2,865 CFM @ .5"SP

CUBE-200-LMDG

2,073 CFM to 6,108 CFM @ .5"SP

CUBE-240-LMDG

3,565 CFM to 7,536 CFM @ .5"SP



CUE SERIES
Greenheck Direct Drive Roof
Upblast Centrifugal Exhaust
Fans w/ **Vari-Green Motors**

CUE-095-VG 1/6 HP 115/60/1
199 CFM to 802 CFM @ .5"SP

CUE-101-VG 1/4 HP 115/60/1
411 CFM to 1,350 CFM @ .5"SP

CUE-121-VG 1/2 HP 115/60/1
691 CFM to 1,816 CFM @ .5"SP

CUE-141-VG 3/4 HP 115/60/1
1,515 CFM to 2,865 CFM @ .5"SP




BSQ SERIES
Greenheck Belt Drive
Centrifugal Inline Fans

BSQ-090-LMDG

421 CFM TO 1,487 CFM @ .5"SP

BSQ-140-LMDG

998 CFM TO 3,820 CFM @ .5"SP



GB SERIES
Greenheck Belt Drive
Centrifugal Roof Exhaust Fans

GB-101-LMDG

507 CFM to 1,321 CFM @ .5"SP

GB-141-LMDG


1,085 CFM to 2,883 CFM @ .5"SP

GB-200-LMDG

2,087 CFM to 5,969 CFM @ .5"SP

GB-240-LMDG

3,562 CFM to 7,467 CFM @ .5"SP




G SERIES
Greenheck Direct Drive
Centrifugal Roof Exhaust Fans
w/ **Vari-Green Motors**

G-097-VG 1/4 HP 115/60/1
109 CFM to 297 CFM @ .5"SP

G-098-VG 1/4 HP 115/60/1
283 CFM to 719 CFM @ .5"SP

G-123-VG 1/2 HP 115/60/1
694 CFM to 1,811 CFM @ .5"SP

G-143-VG 3/4 HP 115/60/1
1,085 CFM to 2,923 CFM @ .5"SP

GREENHECK FAN ACCESSORIES:

**GPI ROOF CURBS
FOR FLAT ROOFS**
c/w Galvanized Construction,
1" Insulation, 2" Flashing
Flange & 12" High

GPI-19-G12

For a 19 x 19 Fan Base

GPI-22-G12

For a 22 x 22 Fan Base

GPI-30-G12

For a 30 x 30 Fan Base

GPI-34-G12

For a 34 x 34 Fan Base



**VCE VENTED
CURB EXTENSIONS**
c/w Galvanized Construction

VCE-19-G15.25

For a 19 x 19 Fan Base

VCE-22-G15.25


For a 22 x 22 Fan Base

VCE-30-G11

For a 30 x 30 Fan Base

VCE-34-G10.5

For a 34 x 34 Fan Base



WD-100
Galvanized Backdraft
Dampers- Horizontal Mount

10 x 10	18 x 18
---------	---------

12 x 12	24 x 24
---------	---------

16 x 16	
---------	--

WD-330
Galvanized Backdraft
Dampers- Vertical Mount

12 x 12	20 x 20
---------	---------

16 x 16	24 x 24
---------	---------

18 x 18	
---------	--

**MISCELLANEOUS
ACCESSORIES**


Grease Trap with Drain Connections

Hinged Curb Cap Kits


Disconnect Switches

GREENHECK SP FANS:

OLD MODEL	OLD MODEL	NEW MODEL
		SP-B70
		SP-B80
	SP-6.5	SP-B90
	SP-7	SP-B110
	SP-9	SP-B150
	SP-12	SP-B200
SP-100	SP-210	SP-A110
SP-115	SP-216	SP-A125
SP-117	SP-218	SP-A190
		SP-A200
SP-125	SP-224	SP-A250
	SP-226	SP-A290
SP-127	SP-228	SP-A390
SP-150	SP-250	SP-A410
SP-152	SP-252	SP-A510
		SP-A700
SP-155	SP-255	SP-A710
SP-158	SP-258	SP-A780
SP-160	SP-260	SP-A900
SP-162	SP-262	SP-A1050
	SP-264	SP-A1410
SP-165	SP-265	SP-A1550

GREENHECK CSP FANS:

OLD MODEL	OLD MODEL	NEW MODEL
	CSP-7	CSP-B110
	CSP-9	CSP-B150
	CSP-12	CSP-B200
CSP-108	CSP-210	CSP-A110
CSP-115	CSP-216	CSP-A125
CSP-117	CSP-218	CSP-A190
		CSP-A200
	CSP-224	CSP-A250
CSP-125	CSP-226	CSP-A290
CSP-127	CSP-228	CSP-A390
CSP-150	CSP-250	CSP-A410
CSP-152	CSP-252	CSP-A510
		CSP-A700
CSP-155	CSP-255	CSP-A710
CSP-158	CSP-258	CSP-A780
CSP-160	CSP-260	CSP-A900
CSP-162	CSP-262	CSP-A1050
	CSP-264	CSP-A1410
CSP-165	CSP-265	CSP-A1550

SP & CSP ACCESSORIES:

Model WC
Aluminum Wall Caps with Built
in Damper

WC-4	4"
Aluminum Wall Caps with Built in Birdscreen & Damper	
WC-6	6"
WC-8	8"
WC-8 x 8	8" x 8"
WC-18 x 8	18" x 8"

**SPEED CONTROLLERS**

5WSSC - 5 WATT; 115 VOLT
Use with SP-B50 to SP-A900 /
CSP-B110 to CSP-A900

10WSSC - 10 WATT; 115 VOLT
Use with SP/CSP- A1050 to
SP/CSP-A2150

**MISCELLANEOUS
ACCESSORIES**

Disconnect Switches

Time Delay Switches

Reverse Acting
Inline Thermostats

FAN LEGEND: GREENHECK SP FANS

SP-A50

- Nominal CFM at 0.10 inches static pressure
- Level of Construction
 - A - Premium; Lowest Sound, Insulated Housing
 - B - Deluxe Unit; Low Sound, Low Profile
 - C - Standard Unit; Lowest Profile, Less Expensive
- Model
 - SP - Silent Partner

FAN LEGEND: GREENHECK CSP FANS

CSP-A50

- Nominal CFM at 0.10 inches static pressure
- Level of Construction
 - A - Premium; Lowest Sound, Insulated Housing
 - B - Deluxe Unit; Low Sound, Low Profile
 - C - Standard Unit; Lowest Profile, Less Expensive
- Model
 - CSP - Cabinet Silent Partner

Panasonic FANS:



WHISPERCEILING SERIES
Panasonic Ceiling Mounted
Ventilation Fans

FV-05VQ3
50 CFM, 0.3 SONES

FV-08VQ3
80 CFM, 0.4 SONES

FV-11VQ3
110 CFM, 0.8 SONES

FV-15VQ4
150 CFM, 0.6 SONES

FV-20VQ3
190 CFM, 1.3 SONES

FV-30VQ3
290 CFM, 2 SONES

FV-40VQ3
380 CFM, 3 SONES



WHISPERFIT SERIES
Panasonic Low Profile Fans

FV-05VF1
50 CFM, 0.7 SONES

FV-07VF1
70 CFM, 1.1 SONES

FV-09VF1
90 CFM, 1.4 SONES

FV-11VF1
110 CFM, 2 SONES



WHISPERLINE SERIES
Panasonic In-Line Fans

FV-10NLF1
120 CFM, 1 SONES

FV-20NLF1
240 CFM, 1.4 SONES

FV-30NLF1
340 CFM, 1.7 SONES

FV-40NLF1
440 CFM, 2.1 SONES

GNN air FANS:



BPT SERIES
Ceiling Fans

BPT15-14A
80 CFM, 1 SONE

BPT15-24A1
110 CFM, 1.5 SONES

BROAN FANS:



BROAN ECONOMY FANS

EC50
50 CFM, 3.0 SONES

EC70
70 CFM, 5.5 SONES



BROAN DELUXE FANS

DX90
90 CFM, 2.5 SONES

DX110
110 CFM, 4.0 SONES

BROAN RANGE HOODS:



BP SERIES
2 Speed Hood 30" Wide,
White on White

BP130WWN
180 CFM, 7.5 Sones, 120 Volt



GP SERIES
Variable Speed Hood
30" Wide, White on White

GP130WWN
190 CFM, 7.0 Sones, 120 Volt



BROAN 634
Steel Roof Caps with Built in
Birdscreen & Damper

10" x 3 1/4"




BROAN 639
Steel Wall Caps with Spring-
Loaded Backdraft Damper

CANARM® FANS:

fantech® FANS:

Thermaflex® FLEXIBLE DUCT:



CP SERIES
Industrial/commercial
Ceiling Fans

CP-48	48"
CP-56 C & P c/w CORD & PLUG	56"



MC SERIES
Industrial/commercial
Speed Controllers

MC-3
2 Fans Per Control

MC-5
4 Fans Per Control

MC-10
8 Fans Per Control



FR SERIES
Inline Fans

FR110 - 4" Inlet / Outlet

113 CFM @ .6"SP

FR150 - 6" Inlet / Outlet


167 CFM @ .6"SP

FR225 - 8" Inlet / Outlet

332 CFM @ .6"SP

FR250 - 10" Inlet / Outlet

506 CFM @ .6"SP



SLP-10
Non-Insulated Flexible Duct
for Low to Medium
Pressure Systems

3" 8"

4" 9"

5" 10"

6" 12"

7" 14"



G-KM
Insulated Flexible Air Duct
for Low and Medium
Pressure Systems

4" 9"

5" 10"

6" 12"

7" 14"

8"

FILTRATION LAB FILTERS:VMC GROUP
THE POWER OF TOGETHER**AMBER/BOOTH ISOLATION:****GREENHECK ISOLATION:**

MAXI-410
1" Pleated Filter
25-30% Efficiency

14 x 20 x 1	16 x 25 x 1
16 x 20 x 1	20 x 25 x 1
20 x 20 x 1	12 x 24 x 1
14 x 25 x 1	24 x 24 x 1




MAXI-410
2" Pleated Filter
25-30% Efficiency

15 x 20 x 2	12 x 24 x 2
16 x 20 x 2	16 x 24 x 2
20 x 20 x 2	18 x 24 x 2
14 x 25 x 2	20 x 24 x 2
16 x 25 x 2	24 x 24 x 2
20 x 25 x 2	



MAXI-410
4" Pleated Filter
25-30% Efficiency

20 x 20 x 4	12 x 24 x 4
16 x 25 x 4	20 x 24 x 4



CALE SERIES
Aluminum Housed Mounts
1" Deflection

CALE-1C-50 (BLUE SPRING)
MAX. LOAD 50 LBS.
CALE-1C-100 (TAN SPRING)
MAX. LOAD 100 LBS.
CALE-1C-150 (RED SPRING)
MAX. LOAD 150 LBS.
CALE-1C-250 (BLACK SPRING)
MAX. LOAD 250 LBS.
CALE-1C-300 (DARK YELLOW SPRING)
MAX. LOAD 300 LBS.
CALE-1C-370 (YELLOW SPRING)
MAX. LOAD 370 LBS.




RD SERIES
Double Deflection Mountings

RD-1-35 (BLUE ISOLATOR)
MAX. LOAD 35 LBS.
RD-1-70 (RED ISOLATOR)
MAX. LOAD 70 LBS.
RD-1-120 (GREEN ISOLATOR)
MAX. LOAD 120 LBS.
RD-1-170 (BLACK ISOLATOR)
MAX. LOAD 170 LBS.
RD-1-240 (RED ISOLATOR)
MAX. LOAD 240 LBS.



HSA SERIES
Spring Angularity Hangers
for 1" Nominal Deflection


HSA-1B-20 (DARK BLUE SPRING)
RATED LOAD 20 LBS.
HSA-1B-35 (BLACK SPRING)
RATED LOAD 35 LBS.
HSA-1C-50 (BLUE SPRING)
RATED LOAD 50 LBS.
HSA-1C-100 (TAN SPRING)
RATED LOAD 100 LBS.
HSA-1C-150 (RED SPRING)
RATED LOAD 150 LBS.
HSA-1C-250 (BLACK SPRING)
RATED LOAD 250 LBS.
HSA-1C-300 (DARK YELLOW SPRING)
RATED LOAD 300 LBS.
HSA-1C-370 (YELLOW SPRING)
RATED LOAD 370 LBS.



MAXI-FLEX EZ-CUT


18 x 18 x 3/4" MATS
180 LBS. LOAD PER 2" SQ.

* Can be cut to any size required
in two inch increments




**VIBRATION
ISOLATION KITS**

Kit contains rubber grommets
and washers only. Hanging
rods are by others.

PRICE FIRE DAMPERS:


FD-VA
Vertical, In the Airstream
Fire Dampers

6 x 6	18 x 12
8 x 8	18 x 18
10 x 10	20 x 12
12 x 8	20 x 20
12 x 12	24 x 4
14 x 10	24 x 12
14 x 14	24 x 14
16 x 8	24 x 24
16 x 16	




FD-HA
Horizontal, In the Airstream,
Spring Loaded Fire Dampers

6 x 6	16 x 16
8 x 8	18 x 12
10 x 10	18 x 18
12 x 6	20 x 12
12 x 12	20 x 20
14 x 14	24 x 12
16 x 8	24 x 24




FD-VB
Vertical, Out of the Airstream
Fire Dampers

6 x 4	14 x 14
6 x 6	16 x 10
8 x 6	16 x 12
8 x 8	16 x 16
10 x 6	18 x 4
10 x 8	18 x 6
10 x 10	18 x 18
12 x 8	20 x 20
12 x 10	24 x 12
12 x 12	24 x 16
14 x 4	24 x 24
14 x 10	




FD-HB
Horizontal, Out of the Airstream,
Spring Loaded Fire Dampers

6 x 6	16 x 16
8 x 8	18 x 12
10 x 10	18 x 18
12 x 6	20 x 12
12 x 10	20 x 20
12 x 12	24 x 12
14 x 14	24 x 24
16 x 8	



FD-VC
Round, Vertical, Out of the
Airstream Fire Dampers

4"	10"
5"	12"
6"	14"
7"	16"
8"	




FD-HC
Round, Horizontal,
Out of the Airstream,
Spring Loaded Fire Dampers

4"	10"
5"	12"
6"	14"
7"	16"
8"	


**MISCELLANEOUS
ACCESSORIES**

Replacement Fusible Links
165 or 212 Degree

PRICE CEILING RADIATION DAMPERS:


CRD-2
Ceiling Fire Stop Flaps

5"	12"
6"	14"
8"	15"
10"	



CFS
Ceiling Fire Stop Flaps


6 x 6	18 x 12
8 x 8	18 x 18
10 x 10	20 x 20
12 x 12	24 x 8
14 x 14	24 x 12
16 x 12	24 x 24
16 x 16	



CK-2000
Thermal Blanket

24 x 24	
---------	--

legris transair ALUMINUM PIPE & FITTINGS



ALUMINUM PIPE & FITTINGS
Legris Transair

- 25mm (7/8" ID) Pipe Clip
- 16.5mm (1/2" ID) Pipe (L=10'): 6063T5 Aluminum (Blue)
- 16.5mm (1/2" ID) Elbow
- 16.5mm (1/2" ID) Equal Tee
- 16.5mm (1/2" ID) Union
- 16.5mm (1/2" ID) Pipe Clip
- 40mm (1 1/2" ID) Pipe (L=10'): 6063T5 Aluminum (Blue)
- 40mm (1 1/2" ID) Elbow
- 40mm (1 1/2" ID) Equal Tee
- 40mm (1 1/2" ID) Union
- 40mm (1 1/2" ID) Pipe Clip
- 25mm (7/8" ID) Pipe (L=20'): 6063T5 Aluminum (Blue)
- 25mm (7/8" ID) Elbow
- 25mm (7/8" ID) Equal Tee
- 25mm (7/8" ID) Union


legris transair TOOL CASE



TOOL CASE
All Tools Plus Case for Small
Diameter Transair System

- 16.5mm to 63mm (1/2" to 2 1/2" ID)

Barnes & Jones



**THERMOSTATIC
STEAM TRAPS**
For Low & Moderate
Pressure Service

- BJV-2L - Straight Pattern
- 122A - Angle Pattern
- 134A - Angle Pattern
- 4270 - Cage Units

**STEAM TRAP
REPAIR KITS**
Float & Thermostatic

- FT15

nu-air[®] RESIDENTIAL HRV:

NU145
Windsor Series HRV

- 140 cfm
- 1000 to 2500 sq ft Home




NU160
Windsor Series HRV

- 160 cfm
- 2000 to 3500 sq ft Home




NU165
Windsor Series HRV

- 160 cfm
- 2000 to 3500 sq ft Home
- Side ports
- Quiet Operation

nu-air[®] COMMERCIAL HRV:


NU0406
Light Commercial HRV

- 600 cfm
- Dampened Circulation Defrost



NU0508
Light Commercial HRV

- 800 cfm
- Dampened Circulation Defrost



NU0912
Light Commercial HRV

- 1200 cfm
- Dampened Circulation Defrost

nu-air[®] CONTROLS:

WIN-1
Windsor Dehumidistat Control

- Can be used with all stock units.




WIN-20
Windsor 20 Minute Timer

- Can be used on all stock units.



ES-DVC
ES Digital Ventilation Control

- Can be used with all stock light commercial units.



ES-T1
20-40-60-Minute Timer

- Can be used with all stock light commercial units.

neptronic[®] HUMIDIFIERS



CASA SKR14-120-R-00

- Capacity 4.5lb/hr (2.0 kg/hr)
- 1.4 Kw Power
- 120V / 1ph - 12 A
- W = 10.5" (267mm) H = 14.5" (368mm) D = 9" (229mm)
- Height with SDU = 19.75" (500mm)

VILLA SKR25-208-R-00


- Capacity 7.5lb/hr (3.41 kg/hr)
- 2.5 Kw Power
- 208V / 1ph - 12 A
- W = 10.5" (267mm) H = 14.5" (368mm) D = 9" (229mm)
- Height with SDU = 19.75" (500mm)

CHATEAU SK30-208-R-00

- Capacity 9lb/hr (4.10 kg/hr)
- 3 Kw Power
- 208V / 1ph - 14.5 A
- W = 10.5" (267mm) H = 14.5" (368mm) D = 9" (229mm)
- Height with SDU = 19.75" (500mm)

BELVEDERE SKR40-208-R-00

- Capacity 12lb/hr (5.45 kg/hr)
- 4 Kw Power
- 208V / 1ph - 19.2 A
- W = 10.5" (267mm) H = 14.5" (368mm) D = 9" (229mm)
- Height with SDU = 19.75" (500mm)




HRL100

- High Limit Duct Humidistat

HR020

- Large LCD Humidistat

Neptronic SKR humidifiers offer two installation options to better suit your needs. Duct Distribution and Fan Distribution (SDU).




DUCT DISTRIBUTION



**FAN DISTRIBUTION (SDU)
(OPTIONAL)**
This model not in stock

The Neptronic SKR humidifier includes a permanent, reusable stainless steel chamber instead of a disposable plastic bottle that must be replaced at least once a year, resulting in thousands of dollars of savings. These savings will more than pay for the initial cost of the humidifier.



ALL HUMIDIFIERS COME COMPLETE WITH:

- Wall Mount Humidity Controller
- Airflow Proving Switch
- 9" Distributor for SKR14 & SKR25 Units
- 14" Distributor for SKR30 & SKR40 Units
- 6' Flexible Steam Hose

AIREASE HIGH EFFICIENCY FURNACES:**A95UH2V045B12S (44,000 BTUH)**

- ENERGY STAR qualified
- 95% AFUE efficiency rating
- GE ECM™ variable speed motor
- Two-stage gas control system
- Stainless steel primary and secondary heat exchangers
- Multi-position models
- Lifetime Limited Warranty on heat exchanger
- 10-Year Limited Warranty on parts

**A95UH2V070B12S (66,000 BTUH)**

- ENERGY STAR qualified
- 95% AFUE efficiency rating
- GE ECM™ variable speed motor
- Two-stage gas control system
- Stainless steel primary and secondary heat exchangers
- Multi-position models
- Lifetime Limited Warranty on heat exchanger
- 10-Year Limited Warranty on parts

**A95UH2V090C12S (88,000 BTUH)**

- ENERGY STAR qualified
- 95% AFUE efficiency rating
- GE ECM™ variable speed motor
- Two-stage gas control system
- Stainless steel primary and secondary heat exchangers
- Multi-position models
- Lifetime Limited Warranty on heat exchanger
- 10-Year Limited Warranty on parts

AIREASE "13 SEER" AIR CONDITIONERS:**4SCU13LE118P-2 (1½ TON)**

- ENERGY STAR qualified
- Air Conditioners-up to 13 SEER
- Dependable and efficient scroll two-stage compressor
- Comfort Alert diagnostics
- 10-Year Limited Warranty on compressor
- 10-Year Limited Warranty on parts
- c/w uncased "A" coil

**4SCU13LE124P-2 (2 TON)**

- ENERGY STAR qualified
- Air Conditioners-up to 13 SEER
- Dependable and efficient scroll two-stage compressor
- Comfort Alert diagnostics
- 10-Year Limited Warranty on compressor
- 10-Year Limited Warranty on parts
- c/w uncased "A" coil

**4SCU13LE136P-2 (3 TON)**

- ENERGY STAR qualified
- Air Conditioners-up to 13 SEER
- Dependable and efficient scroll two-stage compressor
- Comfort Alert diagnostics
- 10-Year Limited Warranty on compressor
- 10-Year Limited Warranty on parts
- c/w uncased "A" coil

AIREASE ACCESSORIES:**CONCENTRIC VENT KITS**

- Model 44W92
- 1 ½" and 2" vent kit
- Model 44W93
- 3" vent kit

TX VALVES

- Model A4TX01
- For 1 ½ to 2 ½" ton condensing units
- Model A4TX02
- For 3 ton condensing units

LINE KITS

- 25' and 50' lengths available

WHIPS**DISCONNECTS****DIGITAL THERMOSTATS**

- Model TB8220 Honeywell programmable thermostat
- 2 stage cooling / 2 stage heating

AIR CONDITIONING COVERS

Available for all condensing unit sizes

Carrier® PACKAGE ROOFTOP UNITS

Carrier® ACCESSORIES



48ES COMFORT SERIES

2 Tons cooling w/ high gas heat (60 MBH)
Available in 208-230/1



48TC WEATHERMAKER SERIES

3 Tons cooling w/ medium gas heat (115 MBH)
Available in 575/3, 208-230/3 or 208-230/1

4 Tons cooling w/ high gas heat (150 MBH)
Available in 575/3, 208-230/3 or 208-230/1

5 Tons cooling w/ medium gas heat (115 MBH)
or high gas heat (150 MBH)
Available in 575/3, 208-230/3 or 208-230/1

6 Tons cooling w/ high gas heat (150 MBH)
Available in 575/3 or 208-230/3

7.5 Tons cooling w/ medium gas heat (180 MBH)
or high gas heat (224 MBH)
Available in 575/3 or 208-230/3

10 Tons cooling w/ medium gas heat (180 MBH)
or high gas heat (224 MBH)
Available in 575/3 or 208-230/3

12.5 Tons cooling w/ high gas heat (224 MBH)
Available in 575/3 or 208-230/3

- All 3-phase vertical units come complete with factory installed economizers.
- All 1-phase and horizontal economizers are field installed.
- 14" Roof corbs.
- Digital thermostats.
- Through the base electrical kit.
- Hail guards.



PRICE ROOF TOP UNIT CONTROLLER

BACnet MS/TP Networking

Proportional Integral (PI) Control

Stand-Alone and Network Operation

Pre-programmed Voting Strategies

*Full In-House Calibration/Setup Provided

NOTES:

[illegible]

NOTES:


Lined area for notes.

WINNIPEG SALES OFFICE

13 Terracon Place, Winnipeg, MB Canada R2J 4B3

Ph: **204.982.2222** Fax: **204.663.9102**

Email: winnipeg@ehpricesales.com



LOCAL DELIVERY AVAILABLE | CONTACT YOUR E.H.PRICE SALES REPRESENTATIVE FOR MORE INFORMATION

Specifications are subject to change without notice. Consult your E.H. Price sales representative for current specifications or more detailed information.

Warranty: The Company warrants and guarantees that all goods within this brochure that have been manufactured by the Company have been manufactured in accordance with the specifications published herein and will be free from defects in material and workmanship for a period of twelve (12) months from the Bill of Lading issued by the Company. The Company will replace defective product at its option, but will not be responsible for labor or material charges in replacing product or consequential damages. Any installation not conforming with the Company's specifications, manuals, bulletins or instructions or any misuse or any modification not authorized by the Company voids this warranty. This warranty is in lieu of all Provincial, State, and Federal statutory warranties and the conditions herein are in substitution and replacement of which warranties, statutory or otherwise.



Air Distribution Products



Mechanical Products



Industrial Products

First in Quality, First in Service
www.ehpricewinnipeg.com

e.h.price